





Remote PC

# Most Secure Thin Client for Business Use





## Remote PC























Model No's: Processor: BIS No:

Storage



Remote PC J1800 Remote PC J3060 Remote PC N3350

Remote PC N4000



Remote PC J1900 Remote PC J3160 Remote PC N3450



Remote PC J3710
Remote PC N5000

R-66001678



PLERON Remote PC J4105



Operating system,
Number of Core &
Processor Speed

• Windows 10 IoT Enterprise with browser, Dual Core, Min 1.2 Ghz
• Windows embedded Standard 10 or higher with browser Quad Core, Min 2 Ghz

RAM

4GB to 128GB DDR4 (1866 - 2933 MHz)

Display Size 19 Inch to 27 Inch (HD, FHD, IPS)

Keyboard & Mouse Wired/Wireless USB keyboard & Optical scroll Mouse

I/O Ports 1 X PS/2 Combo Port, 2 X USB 3.2 Gen1 Port, 2 X USB2.0 port, 1 X RJ-45 Port

1 X HDMI Port, 1 X VGA Port, 1 X Audio Port (Line Out/Line In/Mic In)

HDD: 500GB to 10TB, SSD: 64GB to 5TB, M.2: 64GB to 2TB

Wifi With Wi-Fi / Without Wi-Fi

Certifications BIS, RoHS, CE

Warranty 3/5 years On-Site warranty





Most Affordable



High Quality









#### Register your support ticket

Step 1

- www.rdp.in/support (fill the support request form)

### SLA's & Support

itep 2

- With in two hours you'll get initial response from RDP
- Same day we try to solve the problem thru telephonic support
- FO If not, with in 24-72 hours engineer will visit your place & fix problem

#### Feedback & Close the Ticket

step 3

- If problem solved, we'll close the ticket, else we'll escalate & fix the problem
- (a) You can rate our service (in a 5 star scale) in a feedback email







